


BAXTER 85C 2700K 25° IP67 WALKABLE VERTICAL OUTPUT

Code: B85C-Z2V

The rigorous design of this range of exterior luminaires harmonizes with the softness of the light, enhancing paths, architectures and outdoor spaces. Featuring a minimal design, they offer excellent quality of light wherever they are placed. They are a complete range of products featuring geometric simplicity and sinuous lines that are well suited also for indoor applications.



General specifications

Designer	Elcom Design Team
Installation environment	Exterior
Native mounting type	Rebated flush-mounted
Mounting location	Ground
Made in	Italy

Physical specifications

Body material	Aluminum
Body finish	Matte
Body color	Black
Frontal material	Steel
Frontal finish	Brushed
Frontal color	Steel
Orientability	Fixed
Formwork	Included
Walkover	Yes
IP	IP67
Waterstop	No
Salt mist resistance	No

Lighting specifications

Lumen	456
Light type	White
CCT	2700K
CRI	80
Chromatic tolerance (SDCM)	3
RG	RG1
Life time	L80B10
LB value @ h	50000

Light Emission Specifications

Emission type	Direct monoemission
Optics / diffuser / reflector type	Symmetrical optical lens
Optical / diffuser / reflector material	Glass
Optical finish / diffuser / reflector	Transparent
Beam (°)	25

Electrical specifications

Power supply availability	Not included
Power supply position	Remote
Dimmable	No
Control type	ON/OFF
Power (W)	3.2
Product downlight (W)	3.2
Power supply type (CC / CV)	Current
Nominal current (mA)	350
Insulation class	III
Light source type	LED COB
Replaceable power supply system	Replaceable
Replaceable light source	Non-replaceable

Dimensions and weight

Height / Thickness (mm)	78
Diameter (mm)	84
Cable IN length (mm)	1000

General conditions

Warranty	2 years
----------	----------------

Accessory codes



03150
DRIVER 350-900mA 0-32W 1.10V-PUSH IP20



03151
DRIVER 350-900mA/24VDC 20W DALI IP20



10974
Formwork vertical Baxter
